

- 1** Prevalence and Determinants of Non-daily Smoking Among Iranian University Students: A Web-based Survey
- 2** Predictors of Early Pregnancy Fatigue among Iranian Women during the COVID-19 Pandemic: A Cross Sectional Study
- 3** The effects of vitamin D on sleep quality and pregnancy symptoms in pregnant women: a randomized, triple-blind and placebo-controlled clinical trial
- 4** Self-Care Performance of Pregnant Women in Preventing COVID-19 Infection and Its Relationship with Perceived Stress
- 5** An educational programme based on salutogenesis theory on childbirth fear and delivery method among nulliparous women: A mixed methods research protocol
- 6** Effect of Nigella sativa L. seed oil on urinary incontinence and quality of life in menopausal women: A triple-blind randomized controlled trial
- 7** Exploring the determinants of health service utilization among people living with HIV: a qualitative study in Iran
- 8** The effect of cognitive behavioral therapy on stress and anxiety of mothers of girls with precocious puberty symptoms: a randomized controlled trial
- 9** A Glance at the Efficiency of Marital Sexual Intimacy Interventions: The Different Outcomes on Couples and Women
- 10** The effect of Curcumin on metabolic parameters and androgen level in women with polycystic ovary syndrome: a randomized controlled trial
- 11** Global investments in pandemic preparedness and COVID-19: development assistance and domestic spending on health between 1990 and 2026
- 12** Relationship between health practices with attitudes towards pregnancy and motherhood and pregnancy symptoms in Iranian pregnant women: A cross-sectional study

- 13** Evaluation of woman-centred care status by Iranian midwives and providing strategies to improve women-centred care: A sequential explanatory mixed method study protocol

---

- 14** Health literacy, treatment adherence, bone mass density and health-related quality of life among Iranian older adults with osteoporosis

---

- 15** The effectiveness of happiness training on quality of life in women with premenstrual syndrome: a randomized, controlled, clinical trial

---

- 16** The effect of lavender on mothers sleep quality in the postpartum period: A systematic review and meta-analysis

---

- 17** The relationship between pregnancy and birth experience with maternal-fetal attachment and mother-child bonding: a descriptive-analytical study

---

- 18** Does Nicotine from Passive Smoking and Foods Protect Against Parkinson's Disease?

---

- 19** Relationship between miRNA-21, miRNA-155, and miRNA-182 expression and inflammatory factors in cerebrospinal fluid from patients with multiple sclerosis

---

- 20** Policy options to reduce patient visits in specialized service centers: A case study in speciality and subspeciality clinics in Iran

---

- 21** The effect of *Salvia officinalis* on blood glycemic indexes and blood lipid profile in diabetic patients: A systematic review and meta-analysis

---

- 22** Relationship between serum levels of vitamin D and the success rate of pregnancy in an in vitro fertilization cycle (IVF): A prospective cohort study

---

- 23** The effect of cognitive-behavioral counseling with or without *Citrus aurantium* essential oil on sleep quality in pregnant women: a randomized controlled trial

---

- 24** Life-time HIV testing among people who inject drugs in Iran: results from the National Rapid Assessment and Response survey

---

- 25** Iranian mother's perspectives about aspects and determinants of disrespect and abuse during labor and delivery: a qualitative study

- |           |  |
|-----------|--|
| <b>26</b> | <b>Adolescent pregnant women's perception of health practices: A qualitative study</b>   |
| <b>27</b> | <b>The effect of combined herbal capsules (Menohelp®) on early symptoms of menopause: a randomized double-blind placebo-controlled trial</b>   |
| <b>28</b> | <b>Psychometric evaluation and cross-cultural adaptation of the Australian Pelvic Floor Questionnaire (APFQ-IR) in Iranian reproductive age women</b>  |
| <b>29</b> | <b>Validation of the Iranian version of the Postpartum Specific Anxiety Scale 12-item research short-form for use during global crises (PSAS-IR-RSF-C)</b>   |
| <b>30</b> | <b>Examining psychometric properties of the Iranian version of exclusive breastfeeding social support scale (EBFSS)</b>  |
| <b>31</b> | <b>Prevalence and severity of urinary incontinence and associated factors in Iranian postmenopausal women: a cross-sectional study</b>   |
| <b>32</b> | <b>The Effect of Intranasal Oxytocin on Sexual Function in Men and Women: A Systematic Review</b>  |
| <b>33</b> | <b>Psychometric properties of the disrespect and abuse questionnaire in Iranian parturient women</b>   |
| <b>34</b> | <b>Risk and protective factors related to having a child with congenital heart diseases (CHD): a case-control study in Iran</b>  |
| <b>35</b> | <b>Efficacy and safety of veliparib plus chemotherapy for the treatment of lung cancer: A systematic review of clinical trials</b>   |
| <b>36</b> | <b>Sexual Activity during Menstruation as A Risk Factor for Endometriosis: A Systematic Review and Meta-Analysis</b>   |
| <b>37</b> | <b>Mapping of Iranian midwifery curriculum according to the International Confederation of midwives competencies</b>   |
| <b>38</b> | <b>Factors influencing social prescribing initiatives: a systematic review of qualitative evidence</b>   |
| <b>39</b> | <b>The prevalence and determinant factors of high-risk behaviours among medical students in North-West of Iran</b>   |
| <b>40</b> | <b>Correction: Psychometric evaluation of the postpartum specific anxiety scale – research short-form among Iranian women (PSAS-IR-RSF) (BMC Pregnancy and Childbirth, (2023), 23, 1, (531), 10.1186/s12884-023-05855-4)</b> |

- |           |   |
|-----------|---|
| <b>41</b> | <b>Prevalence of metabolic syndrome in East Azerbaijan-Iran and its determinants factors</b>  |
| <b>42</b> | <b>Psychometric evaluation of the postpartum specific anxiety scale – research short-form among iranian women (PSAS-IR-RSF)</b>   |
| <b>43</b> | <b>The Effect of Reflexology on the Anxiety of Pregnant Women During Labor: A Systematic Review and Meta-Analysis</b>   |
| <b>44</b> | <b>The effect of prenatal education on fear of childbirth, pain intensity during labour and childbirth experience: a scoping review using systematic approach and meta-analysis</b> |
| <b>45</b> | <b>The imperative of good governance and enhanced learning systems for resilient health financing</b>   |
| <b>46</b> | <b>Adverse Events of Cannabidiol Use in Patients with Epilepsy: A Systematic Review and Meta-analysis</b>   |
| <b>47</b> | <b>Burden of diseases attributable to excess body weight in the Middle East and North Africa region, 1990–2019</b>  |
| <b>48</b> | <b>Diagnostic Value of ATG5, Apo-Lipoprotein B-48, Thyroid Hormones, and Homocysteine in Patients with Alzheimer's Disease</b>  |
| <b>49</b> | <b>Human monkeypox: history, presentations, transmission, epidemiology, diagnosis, treatment, and prevention</b>  |
| <b>50</b> | <b>The effectiveness of mindfulness-based interventions on self-efficacy and fear of childbirth in pregnant women: A systematic review and meta-analyses</b>                        |
| <b>51</b> | <b>Kynurenine and Beta-Alanine Serum Levels are Associated with the Expression of Wnt Pathway Genes in Patients with Parkinson's Disease</b>  |
| <b>52</b> | <b>Policies to address the impact of an ageing population in Iran</b>   |
| <b>53</b> | <b>Are women with preterm labour at risk for negative birth experience? a comparative cross-sectional study from Iran</b>   |
| <b>54</b> | <b>Psychometric Assessment of Infant Colic Scale in Iranian Population</b>  |
| <b>55</b> | <b>Barriers to community participation in primary health care of district health: a qualitative study</b>   |
| <b>56</b> | <b>Effect of vitamins on sexual function: A systematic review</b>   |
| <b>57</b> | <b>Iranian primary health care network: Challenges and ways forward</b>   |

- |           |  |
|-----------|--|
| <b>58</b> | <b>Comparing the Effect of Probiotic and Fluconazole on Treatment and Recurrence of Vulvovaginal Candidiasis: a Triple-Blinded Randomized Controlled Trial</b>             |
| <b>59</b> | <b>Woman-centered care and associated factors among midwives working in urban health centers and public and private hospitals in Tabriz, Iran: a cross-sectional study</b> |
| <b>60</b> | <b>Current and life-time alcohol consumption in Iranian students: a systematic review and meta-analysis</b>  |
| <b>61</b> | <b>The Relationship between Serum Oxytocin Levels and Sexual Function and Depression: A Cross-Sectional Study</b>  |
| <b>62</b> | <b>The burden of low back pain and its association with socio-demographic variables in the Middle East and North Africa region, 1990–2019</b>                              |
| <b>63</b> | <b>The relationship of childbirth experience with postpartum depression and anxiety: a cross-sectional study</b>   |
| <b>64</b> | <b>Fear of childbirth and its relationship with anxiety and depression among Iranian fathers: a descriptive study</b>  |
| <b>65</b> | <b>Factors Affecting Health Policies for Older People in Iran</b>  |
| <b>66</b> | <b>Global disease burden attributed to low physical activity in 204 countries and territories from 1990 to 2019: Insights from the Global Burden of Disease 2019 Study</b> |
| <b>67</b> | <b>Global burden of lower respiratory infections during the last three decades</b>   |
| <b>68</b> | <b>The relationship between urinary incontinence with sexual function and quality of life in postmenopausal women</b>  |
| <b>69</b> | <b>The burden of neck pain in the Middle East and North Africa region, 1990–2019</b>   |
| <b>70</b> | <b>Complicated grief and related factors among nursing staff during the Covid-19 pandemic: a cross-sectional study</b>   |
| <b>71</b> | <b>Persian version of the support and control in birth questionnaire among Iranian women</b>   |
| <b>72</b> | <b>Scoping review of outpatient health services utilization among women</b>  |

- |           |   |
|-----------|---|
| <b>73</b> | <b>Prevalence of Asthma in East Azerbaijan Adult Population and Its Determinants Factors: A Cross-Sectional Study from the Northwest of Iran</b>                                      |
| <b>74</b> | <b>Prevalence of lifetime substance use and its association with socio-demographic and social network factors: a population-based cross-sectional study</b>                           |
| <b>75</b> | <b>Predictors of Academic Success in Students of Tabriz University of Medical Sciences: A Cross-Sectional Study</b>   |
| <b>76</b> | <b>The burden of vision loss in the Middle East and North Africa region, 1990–2019</b>  |
| <b>77</b> | <b>Developing and validating a national set of standards for undergraduate medical education using the WFME framework: the experience of an accreditation system in Iran</b>          |
| <b>78</b> | <b>Childbirth self-efficacy and fear of childbirth and their predictors in adolescent and adult pregnant women referring to health centres of Urmia-Iran: A cross-sectional study</b> |
| <b>79</b> | <b>The effect of massage on cortisol level in infants: A systematic review and meta-analysis</b>  |
| <b>80</b> | <b>The roles and challenges of the primary health care systems in epidemic management: A scoping review</b>   |
| <b>81</b> | <b>Birth-related posttraumatic stress disorder and negative childbirth experience related to maternal functioning among adolescent mothers: a cross-sectional study</b>               |
| <b>82</b> | <b>Psychometric Evaluation of the Prenatal Attitudes Toward Motherhood and Pregnancy Scale in an Iranian Population</b>   |
| <b>83</b> | <b>The effect of cognitive behavioral therapy on depression and anxiety of women with polycystic ovary syndrome: a randomized controlled trial</b>                                    |
| <b>84</b> | <b>The effect of counseling with cognitive behavior approach on self-esteem and body image in lactating mothers: randomized clinical trial</b>  |
| <b>85</b> | <b>Translation and measurement properties of the pelvic floor distress inventory-short form (PFDI-20) in Iranian reproductive age women</b>   |

- |            |  |
|------------|--|
| <b>86</b>  | <b>Pelvic floor disorder and relevant factors in Iranian women of reproductive age: a cross-sectional study</b>  |
| <b>87</b>  | <b>The role of bone turnover markers in screening low bone mineral density and their relationship with fracture risk in the postmenopausal period</b>  |
| <b>88</b>  | <b>Retaining clinicians in suburban areas: An experience from Iran's primary health care system reform</b>   |
| <b>89</b>  | <b>Adaptation and implementation of clinical guidelines on maternal and newborn postnatal care in Iran: study protocol</b>   |
| <b>90</b>  | <b>Comparison of the Efficacy of Honey and Clotrimazole Cream in the Vulvovaginal Candidiasis Treatment: A Systematic Review and Meta-analysis</b>   |
| <b>91</b>  | <b>The Associations between Bone Mineral Density and Oxidative Stress Biomarkers in Postmenopausal Women</b>   |
| <b>92</b>  | <b>Burden of cancers attributable to high fasting plasma glucose in the Middle East and North Africa region, 1990–2019</b>   |
| <b>93</b>  | <b>A population-based study on incidence trends of myeloma in the United States over 2000–2020</b>   |
| <b>94</b>  | <b>Domestic violence against Iranian women during the Covid-19 lockdown: A cross-sectional study</b>   |
| <b>95</b>  | <b>The Relationship between Psychological Status and Perceived Social Support among Men during Their Wives' Pregnancy</b>  |
| <b>96</b>  | <b>Evening primrose oil for cervical ripening in term pregnancies: A systematic review and meta-analysis</b>   |
| <b>97</b>  | <b>Family and Spousal Support Are Associated with Higher Levels of Maternal Functioning in a Study of Iranian Postpartum Women</b>   |
| <b>98</b>  | <b>The burden of Alzheimer's disease and other types of dementia in the Middle East and North Africa region, 1990-2019</b>   |
| <b>99</b>  | <b>A comprehensive interventional program based on the needs and concerns related to female genital cosmetic surgeries: protocol for a multistage mixed methods study</b>                                      |
| <b>100</b> | <b>Indices/Indicators Developed to Evaluate the “Creating Supportive Environments” Mechanism of the Ottawa Charter for Health Promotion: A Setting-Based Review on Healthy Environment Indices/ Indicators</b> |

- |            |  |
|------------|--|
| <b>101</b> | <b>Iranian mother's perspectives about aspects and determinants of disrespect and abuse during labor and delivery: a qualitative study</b>   |
| <b>102</b> | <b>A qualitative study of the social factors influencing disaster risk and vulnerability in Iran</b>   |
| <b>103</b> | <b>Psychometric Properties of a Brief Health Literacy Instrument (HL-8) Among 18-65-Year-Old Iranians: A Scale Developed for Online Surveys</b>  |
| <b>104</b> | <b>The effect of cognitive-behavioral counseling with or without Citrus aurantium essential oil on sleep quality in pregnant women: a randomized controlled trial</b>                              |
| <b>105</b> | <b>Perceived stress and its socio-demographic predictors in Iranian women receiving treatment for breast cancer</b>  |
| <b>106</b> | <b>Comparing the effect of intermittent diazepam and continuous phenobarbital in preventing recurrent febrile seizures among children under 6 years old: A systematic review and meta-analysis</b> |
| <b>107</b> | <b>The effects of interferential electrical stimulation current on labor pain and duration of active phase of labor in primiparous women: A randomized controlled trial</b>                        |
| <b>108</b> | <b>Investigating the relationship between breast and gynecological cancers and infertility and its treatments: a case-control study</b>  |
| <b>109</b> | <b>Association between nutritional risk status and health related quality of life: An investigation on the aging patients with cardiovascular disease</b>  |
| <b>110</b> | <b>Exploring nationwide policy interventions to control COVID-19 from the perspective of the rapid learning health system approach</b>   |
| <b>111</b> | <b>Prevalence of Primary Open-Angle Glaucoma and its Relationship with Smoking in the Population of the Azar Cohort: A Cross-Sectional Study</b>   |